

SP 230 compact desktop printers

SP 230DNw
SP 230SFNw

RICOH
imagine. change.



SP 230 compact desktop printer specifications

With SP 230, you have quiet, compact printers that are easy to maintain and cost you less. They fit comfortably into small spaces and give you complete control of your work, from simple set up to high speed output. And with wired and wireless connectivity for easy collaboration and a user-friendly LCD interface, printing is easy.

All printers in this series feature;

- The lowest noise level in their class - less than 49B(A)
- Print 30 pages per minute
- SP 230DNw offers fast, simple printing at lower costs
- SP 230SFNw is a compact 4-1 solution

SP 230DNw/ SP 230SFNw

MAIN SPECIFICATIONS

| | SP 230DNw | SP 230SFNw |
|---|--|-----------------|
| GENERAL | | |
| Warm-up time (seconds) | | 28 |
| First output speed: B/W (seconds) | | 8.5 |
| Continuous output speed (ppm) | | 30 |
| Memory: maximum (MB) | 128 | 256 |
| Dimensions: W x D x H (mm) | 356 x 360 x 183 | 410 x 399 x 319 |
| Weight (kg) | 7.3 | 11.8 |
| Power source | 220 - 240 V, 50/60 Hz | |
| COPIER | | |
| Copying process | Laser beam scanning and electro-photographic printing | |
| Multiple copying | Up to 99 copies | |
| Resolution | 600 x 600 dpi, 1,200 x 1,200 dpi | |
| Enlargement/reduction | 25 - 400% | |
| PRINTER | | |
| Printing process | Dry, single component & electro-photographic printing | |
| Printer language | GDI | |
| Print resolution: maximum (dpi) | 600 x 2,400 dpi equivalent | |
| Interface | USB 2.0, Ethernet 10 base-T/100 base-TX, Wireless LAN (IEEE 802.11b/g/n) | |
| Mobile printing capability | Apple AirPrint™, Mopria, Google Cloud Print | |
| Windows® environments | Windows® 7/8.1/10, Windows® Server 2008/2012/2012R2/2016 | |
| Mac OS environments | Macintosh OS X v10.11 - v10.13 | |
| Other supported environments | Linux environment | |
| SCANNER | | |
| Scanning: B/W (ipm) | - | 22 |
| Scanning: full colour (ipm) | - | 7 |
| Resolution: maximum (dpi) | - | 1,200 |
| FAX | | |
| Compatibility | G3 | |
| Transmission speed (seconds) | 2.5 | |
| Modem speed: maximum (Kbps) | 33.6 | |
| PAPER HANDLING | | |
| Recommended paper size | A4, A5, A6, B4 | |
| Paper input: maximum (sheets) | 250 | |
| Paper output: standard (sheets) | 150 | 120 |
| Paper weight (g/m²) | 60 - 163 | |
| ECOLOGY | | |
| Power consumption: max. (kW) | Less than 1.104 | |
| Power consumption: operation (kW) | 460 | 440 |
| Power consumption: ready (W) | Less than 48 | Less than 42 |
| Power consumption: sleep (W) | Less than 6 | Less than 6.2 |
| SOFTWARE | | |
| @Remote, Streamline NX v3, device management only (not embedded), Device Manager NX | | |
| CONSUMABLES | | |
| Starter toner (prints) | 700 | |
| Drum (sheets) | 12,000 | |
| Toner (regular yield) (prints) | 1,200 | |
| Toner (high yield) (prints) | 3,000 | |
| Consumable yield measuring method ISO/IEC 19752 | | |



RICOH
imagine. change.

www.ricoh-europe.com

ISO9001 certified, ISO14001 certified, ISO27001 certified

All brand and/or product names are trademarks of their respective owners.

Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear.

Copyright © 2018 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC.